# 810009309/DB /1X24AWG/SP29

# 810009309/DB | 0-001-DF-HY-F01NS/8G001

### Universal Service Drop, tonable, with 900um buffer



 \*Product complies with the Build America, Buy America Act (BABAA) requirements of the Infrastructure Investment and Jobs Act of 2021 (Pub. L. 117- 58, §§ 70901-70953), or is the subject of a waiver approved by the Secretary of Commerce or designee. Compliance requirements and waiver applicability vary based on government funding program. Check the laws and regulations for your specific program.

#### **Product Classification**

Regional Availability

Asia | Australia/New Zealand | EMEA | Latin America | North America

Portfolio CommScope®

**Product Type**Hybrid cable, fiber and tone-wire

**Government Funding**Build America Buy America (BABA) compliant\*

### General Specifications

Cable Type Drop

Construction Type Non-armored

**Fiber Short Description** O-002-DF-HY-F02NS/IC29/1X24AWG

Subunit TypeGel-freeJacket ColorBlackSubunit, quantity1Fibers per Subunit, quantity1Tone Wire, quantity1

Total Fiber Count 1

#### **Dimensions**


Height Over Jacket4.572 mm0.18 inBuffer Tube/Subunit Diameter2.794 mm0.11 inDiameter Over Jacket9.906 mm0.39 in

Tone Wire Gauge 24 AWG

### Representative Image



# 810009309/DB | 0-001-DF-HY-F01NS/8G001 /1X24AWG/SP29



### Mechanical Specifications

Minimum Bend Radius, loaded91.44 mm | 3.6 inMinimum Bend Radius, unloaded63.5 mm | 2.5 inTensile Load, long term, maximum400.34 N | 90 lbf

 Tensile Load, short term, maximum
 1,334.466 N | 300 lbf

 Compression
 2.25 kg/mm | 126 lb/in

 Compression Test Method
 FOTP-41 | IEC 60794-1 E3

Flex 25 cycles

Flex Test Method FOTP-104 | IEC 60794-1 E6

**Impact** 2.17 ft lb | 2.942 N-m

Impact Test Method FOTP-25 | IEC 60794-1 E4

**Strain** See long and short term tensile loads

Strain Test Method FOTP-33 | IEC 60794-1 E1

Twist 10 cycles

**Twist Test Method** FOTP-85 | IEC 60794-1 E7

**Vertical Rise, maximum** 1,071.677 m | 3516 ft

Optical Specifications

**Fiber Type** G.657.A2/B2 | G.657.A2/B2

### **Environmental Specifications**

Installation temperature  $-30 \,^{\circ}\text{C}$  to  $+60 \,^{\circ}\text{C}$  (-22  $^{\circ}\text{F}$  to  $+140 \,^{\circ}\text{F}$ )

Operating Temperature  $-40 \,^{\circ}\text{C}$  to  $+70 \,^{\circ}\text{C}$  (-40  $^{\circ}\text{F}$  to  $+158 \,^{\circ}\text{F}$ )

Storage Temperature  $-40 \,^{\circ}\text{C}$  to  $+75 \,^{\circ}\text{C}$  (-40  $^{\circ}\text{F}$  to  $+167 \,^{\circ}\text{F}$ )

Page 2 of 7



# 810009309/DB /1X24AWG/SP29

## 810009309/DB | 0-001-DF-HY-F01NS/8G001

Cable Qualification Standards ANSI/ICEA S-110-717

**Environmental Space** Aerial, lashed | Buried

Jacket UV Resistance UV stabilized

Water Penentration 24 h

Water Penentration Test Method FOTP-82 | IEC 60794-1 F5

**Environmental Test Specifications** 

**Cable Freeze** -2 °C | 28.4 °F

Cable Freeze Test Method FOTP-98 | IEC 60794-1 F15

**Drip** 70 °C | 158 °F

**Drip Test Method** FOTP-81 | IEC 60794-1 E14

**Heat Age**  $-40 \,^{\circ}\text{C}$  to  $+85 \,^{\circ}\text{C}$   $(-40 \,^{\circ}\text{F}$  to  $+185 \,^{\circ}\text{F})$ 

**Heat Age Test Method** IEC 60794-1 F9

**Low High Bend** -30 °C to +60 °C (-22 °F to +140 °F)

**Low High Bend Test Method** FOTP-37 | IEC 60794-1 E11

**Temperature Cycle** -40 °C to +70 °C (-40 °F to +158 °F)

**Temperature Cycle Test Method** FOTP-3 | IEC 60794-1 F1

Packaging and Weights

**Cable weight** 38.097 kg/km | 25.6 lb/kft

### Regulatory Compliance/Certifications

#### Agency Classification

CHINA-ROHS Below maximum concentration value

ISO 9001:2015 Designed, manufactured and/or distributed under this quality management system

REACH-SVHC Compliant as per SVHC revision on www.commscope.com/ProductCompliance

ROHS Compliant UK-ROHS Compliant



#### Included Products

R-001-SP-8G-F29IV/WB – Fiber indoor cable, All-Dielectric Indoor Riser Simplex, Singlemode G.657.A2/B2, Feet jacket

marking, Ivory jacket color



# 810009309/DB | 0-001-DF-HY-F01NS/8G001 /1X24AWG/SP29

### \* Footnotes

**Operating Temperature** Specification applicable to non-terminated bulk fiber cable

# R-001-SP-8G-F29IV/WB



Fiber indoor cable, All-Dielectric Indoor Riser Simplex, Singlemode G.657. A2/B2, Feet jacket marking, Ivory jacket color

### **Product Classification**

Regional Availability

Asia | Australia/New Zealand | Latin America | Middle East/Africa | North

America

Portfolio CommScope®

**Product Type** Fiber indoor cable

**Product Series** R-SP

### General Specifications

Cable TypeCordage

Construction Type Non-armored


Subunit TypeGel-freeJacket ColorIvoryJacket MarkingFeet

Total Fiber Count 1

**Dimensions** 

**Diameter Over Jacket** 2.9 mm | 0.114 in

## Representative Image



Page 5 of 7



# R-001-SP-8G-F29IV/WB

## Mechanical Specifications

Minimum Bend Radius, loaded50 mm | 1.969 inMinimum Bend Radius, unloaded30 mm | 1.181 inTensile Load, long term, maximum30 N | 6.744 lbfTensile Load, short term, maximum100 N | 22.481 lbf

 Compression
 22 N/mm | 125.623 lb/in

 Compression Test Method
 FOTP-41 | IEC 60794-1 E3

Flex 300 cycles

Flex Test Method FOTP-104 | IEC 60794-1 E6

**Impact** 0.74 N-m | 6.55 in lb

Impact Test Method FOTP-25 | IEC 60794-1 E4

**Strain** See long and short term tensile loads

Strain Test Method FOTP-33 | IEC 60794-1 E1

Twist 10 cycles

Twist Test Method FOTP-85 | IEC 60794-1 E7

Vertical Rise, maximum 334 m | 1,095.801 ft

**Optical Specifications** 

**Fiber Type** G.657.A2/B2 | G.657.A2/B2

### **Environmental Specifications**

Installation temperature  $-20 \,^{\circ}\text{C}$  to  $+60 \,^{\circ}\text{C}$  (-4 °F to +140 °F)

Operating Temperature  $-40 \,^{\circ}\text{C}$  to  $+70 \,^{\circ}\text{C}$  (-40 °F to +158 °F)

Storage Temperature  $-40 \,^{\circ}\text{C}$  to  $+75 \,^{\circ}\text{C}$  (-40 °F to +167 °F)

Cable Qualification Standards ANSI/ICEA S-104-696 | Telcordia GR-409

Environmental Space Riser

Flame Test Listing NEC OFNR (ETL) and c(ETL)

Flame Test Method CSA FT4 | UL 1666

Jacket UV Resistance UV stabilized

Water Penentration 24 h

**Water Penentration Test Method** FOTP-82 | IEC 60794-1 F5



## R-001-SP-8G-F29IV/WB

## **Environmental Test Specifications**

**Cable Freeze** -2 °C | 28.4 °F

Cable Freeze Test Method FOTP-98 | IEC 60794-1 F15

**Heat Age** -40 °C to +85 °C (-40 °F to +185 °F)

**Heat Age Test Method** IEC 60794-1 F9

**Low High Bend** -30 °C to +60 °C (-22 °F to +140 °F)

**Low High Bend Test Method** FOTP-37 | IEC 60794-1 E11

**Temperature Cycle**  $-40 \,^{\circ}\text{C} \text{ to } +70 \,^{\circ}\text{C} \, (-40 \,^{\circ}\text{F to } +158 \,^{\circ}\text{F})$ 

**Temperature Cycle Test Method** FOTP-3 | IEC 60794-1 F1

Packaging and Weights

**Cable weight** 7.9 kg/km | 5.309 lb/kft

### Regulatory Compliance/Certifications

Agency Classification

ISO 9001:2015 Designed, manufactured and/or distributed under this quality management system

#### \* Footnotes

**Operating Temperature** Specification applicable to non-terminated bulk fiber cable

