



OCM1 LGX Fiber Optic Module, CWDM, Mux, LC/APC, 16 channels, starting wavelength 1310 nm

Product Classification

| | |
|------------------------------|---------------|
| Regional Availability | North America |
| Portfolio | CommScope® |
| Product Type | CWDM module |
| Product Series | LGX OCM1 |

General Specifications

| | |
|-------------------------------|-------------------------|
| Device Type | Standard VAM |
| Functionality | Multiplexing |
| Technology Type | Thin film filter (TFF) |
| Application | For use with LGX panels |
| Circuits, quantity | 1 |
| Distribution Type | 16-channel CWDM |
| Interface, front | LC/APC |
| Interface, Input | LC/APC |
| Interface, Output | LC/APC |
| Multiplexers, quantity | 1 |

Dimensions

| | |
|---------------|--------------------|
| Height | 129.54 mm 5.1 in |
| Width | 58.42 mm 2.3 in |
| Depth | 127 mm 5 in |

Optical Specifications

| | |
|----------------------------|---------|
| Channel Spacing | 20 nm |
| Starting Wavelength | 1310 nm |

Packaging and Weights

Packaging quantity 1
Packaging Type Box | Carton

Regulatory Compliance/Certifications

| Agency | Classification |
|------------|--|
| CHINA-ROHS | Below maximum concentration value |
| REACH-SVHC | Compliant as per SVHC revision on www.commscope.com/ProductCompliance |
| ROHS | Compliant |
| UK-ROHS | Compliant |

