

# RADIATION PATTERN ENVELOPE


Antenna Type Number: VHLP2-26/D  
2.00 Foot Antenna 24.250-26.500 GHz Single Polarized  
Gain: 42.00 dBi at 25.375 GHz  
— Envelope for a Horizontally Polarized Antenna (HH, HV)  
— Envelope for a Vertically Polarized Antenna (VV, VH)  
For further information, ask for Andrew Bulletin 1032, "Radiation Pattern Envelopes".



RPE 7206D

Engineering Approved:  
5 May 2021

ANDREW CORPORATION



Antenna Type Number: VHLP2-26/D  
 2.00 Foot Antenna 24.250-26.500 GHz Single Polarized  
 Gain: 42.00 dBi at 25.375 GHz  
 RPE: 7206D  
 Engineering Approved: 5 May 2021



Angle	H/H dB	Angle	H/V dB	Angle	V/V dB	Angle	V/H dB
0.00	0.00	0.00	-30.00	0.00	0.00	0.00	-30.00
0.30	-0.20	2.50	-30.00	0.30	-0.30	2.50	-30.00
0.55	-1.30	5.00	-47.00	0.60	-1.30	5.00	-47.00
1.00	-5.90	10.00	-52.00	1.10	-6.00	6.00	-53.00
1.45	-14.00	15.00	-55.00	1.70	-16.00	15.00	-58.00
1.60	-16.00	30.00	-60.00	3.00	-16.00	70.00	-69.00
3.20	-16.00	50.00	-62.00	4.20	-26.00	180.00	-69.00
5.00	-27.00	70.00	-69.00	5.00	-26.00		
7.00	-28.00	180.00	-69.00	15.00	-38.00		
12.00	-34.00			25.00	-42.00		
15.00	-39.00			59.50	-45.00		
20.00	-41.00			85.00	-61.00		
30.00	-43.00			100.00	-68.00		
55.00	-46.00			180.00	-68.00		
70.00	-54.00						
90.00	-68.00						
180.00	-68.00						

The RPE is defined by connecting these points with straight lines.

**PARALLEL POLARIZATION**

HH - Horizontal port response to a horizontal signal  
 VV - Vertical port response to a vertical signal

**CROSS POLARIZATION**

HV - Horizontal port response to a vertical signal  
 VH - Vertical port response to a horizontal signal

ANDREW CORPORATION  
 10500 W. 153rd Street  
 Orland Park, IL. U.S.A 60462

Corporate Web Site: <http://www.andrew.com>  
 Customer Service Center: 1-800-255-1479